



Wall Panels



Kronopol

Kronopol Ltd. is one of the largest wood processing plants in the world, offering a very wide range of products. A part of the **Swiss Krono Group** with plants in Switzerland, France, Russia, Germany, Poland, USA, Hungary and Ukraine.

Many years of tradition and experience of the holding company combined with the latest modern technologies of production and quality standards make Kronopol a industry leader in the sector of wood based products, including wall panels.

Wall Panels


Wall panels provide an ecological and creative solution to any modern and practical interior design. Wall panels not only offer unsurpassed quality, but they are light, durable, esthetic and available in several appealing decors.

They are mainly designed for wall paneling, however they can also be laid on ceilings, improving thermal and acoustic insulation of interior rooms. They are easy to assemble, can be laid vertically, horizontally, diagonally, or in a herringbone pattern.

Wall panels are constructed with a LDF's core and are finished on one side with a decorative film featuring several attractive colors and designs.

Skirtings

Floor and wall panels are well supplemented with mouldings made from MDF profiled during milling and coated with films whose colours corresponds to those of the panels. Mouldings with various profiles are used to finish the panels laid on corners, edges and joints, improving the aesthetic appearance of the room.





B 742 Sutter Oak **New**



B 1373 Bambus **New**



B 2372 Sycamore **New**



B 9323 Antique Pine **New**




B 003 Natural Oak




B 005 Mountain Ash



B 008 Beech



B 010 Pine



B 015 Planken Oak



B 016 Alpine Ash




B 017 Green Pine




B 020 Natural Pine




B 021 Maple



B 026 Cherry



B 038 Mountain Alder




B 039 Common Pear




B 084 Birch



B 085 Root



B 086 Light Oak



B 087 Dark Oak



Perfect Panel

Core	Size (coverage)	Size (total)	Thickness	Pieces in a package	Coverage area per package	Total area per package	Packages per pallet
LDF	2600 x 144 mm	2600 x 150 mm	7 mm	9	3,37 m ²	3,51 m ²	55

All colours shown in this publication are only sample colours and should not be considered as original ones.

Natura



B 018 Fantasy Rose



B 025 Marble Carrara



B 031 Marble




B 040 Spring



B 041 Summer



B 042 Autumn



B 080 Mistral



B 081 Sirocco



B 082 Fen



B 083 Pasat

Fantasia

Core	Size (coverage)	Size (total)	Thickness	Pieces in a package	Coverage area per package	Total area per package	Packages per pallet
LDF	2600x144	2600x150	7 mm	9	3,37 m ²	3,51 m ²	55

All colours shown in this publication are only sample colours and should not be considered as original ones.



Perfect Panel



B 739 Bavaria Oak **New**



B 2290 Wild Merbau **New**



B 2295 Acacia **New**



B 2351 Cherry Natura **New**



B 2424 Oak Noble **New**



B 071 Rubin Alder



B 072 Gold Birch



B 073 Old Polish Oak

*Prestige
Collection*



We offer moldings as accessories for the **Prestige Collection**.

Length	Edge	Packaging
2600 mm	P 16	20 pieces in stretch film

Core	Size (coverage)	Size (total)	Thickness	Pieces in a package	Coverage area per package	Total area per package	Packages per pallet
LDF	2600 x 244 mm	2600 x 250 mm	9 mm	5	3,17 m ²	3,25 m ²	48

Eco Style

Eco-Style is collection of the wall panels made of ecological, varnished wood-based material with a structure of natural wood.



B 090 Castylia Maple



B 091 Bavaria Beech



B 092 Toscana Alder

Core	Size (coverage)	Size (total)	Thickness	Pieces in a package	Coverage area per package	Total area per package	Packages per pallet
LDF	2600 x 146 mm	2600 x 150 mm	7 mm	9	3,42 m ²	3,51 m ²	55

Care and use

The wall panels are hygienic and easy to clean. Impurities should be removed with a damp cloth. In no case the panels should be wiped with wet cloth or sprinkled with water. Concentrated detergents used in households must not be applied to wash the panels.

The panels must not be exposed to elevated temperatures (maximum 60°C). Do not fix the panels near heaters and other heat sources!

Important rules

Prior to laying each wall panel should be carefully checked for mechanical damage and colour differences. Should panels with defects be laid, the rights of warranty will be denied. The panels with defect found prior to fixing are subject to replacement with defect-free panels at your dealer.

The panels must not be fixed directly to a supporting structure by means of nails or screws as they must have expansion and shrinking possibilities. They are to be fixed only with special clamps.

Expansion gaps of 10 - 15 mm should be maintained between panels and ceiling, floor or adjoining wall to allow for expansion or contraction due to changes in temperature and humidity

The wall panels may be used in habitable rooms, being designed first of all for covering interior walls, but ceilings can also be lined, bearing in mind, however, that the wall panels are not suitable for rooms where the relative humidity exceeds 70%, including bathrooms, toilets, saunas, laundry rooms, etc.

More information regarding installation of wall panels on www.kronopol.com.pl





MARKETING

tel. +48 68 36 31 179
fax: +48 68 36 31 294

KRONOPOL Ltd.
ul. Serbska 56; 68-200 Żary; POLAND
tel. + 48 68 36 31 100, fax: + 48 68 36 31 321
e-mail: info@kronopol.com.pl, www.kronopol.com.pl